

# Notice of Allowability

Application No.

09/894,764

Examiner

Gary C. Vieaux

Applicant(s)

IKEDA, JUNICHI

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 3/31/2005.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☒ The drawings filed on 29 June 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 6/29/01,9/25/01
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 20050401
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be  
5 filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Surinder Sachar on March 31, 2005.

10        The application has been amended by the Examiner as follows:

- **Delete claims 10-12;**
- **In claim 1, line 25, delete "gain adjusting unit" and replace with -- white-balance adjusting unit -- ;**
- **In claim 1, line 26, delete "gain adjusting unit" and replace with -- white-balance adjusting unit -- ;**  
15
- **In claim 1, line 27, delete "gain adjusting unit" and replace with -- white-balance adjusting unit -- ;**
- **In claim 4, line 4, insert the word "by" between the words "white-balance" and "adjusting", so that it now reads -- adjusting white-balance by  
20 adjusting gains -- ;**
- **In claim 7, line 4, insert the word "by" between the words "white-balance" and "adjusting", so that it now reads -- adjusting white-balance by adjusting gains -- .**

**EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The prior art does not teach or fairly suggest adjusting white-balance by  
5 calculating a white-detection parameter that sets the narrowest area with the  
highest luminance under a condition that the accumulated value of each color is  
not reduced to "0", and setting the resulting parameter.

Any comments considered necessary by applicant must be submitted no  
later than the payment of the issue fee and, to avoid processing delays, should  
10 preferably accompany the issue fee. Such submissions should be clearly labeled  
"Comments on Statement of Reasons for Allowance."

***Conclusion***

The prior art made of record and not relied upon is considered pertinent to  
15 applicant's disclosure.

Yamamoto et al. (US 5,481,302) discloses a white-balance adjusting  
device that employs feedback.

Taura (US 6,670,987) discloses a white-balance adjusting device that  
employs feedback in relation to a highest lamination.

20 Saito et al. (US 4,922,330) discloses a white-balance adjusting device that  
narrows the width of threshold levels.

Art Unit: 2612

**Contact**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary C. Vieaux whose telephone number is 571-272-7318. The examiner can normally be reached on Monday - Friday,


5 8:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 571-272-7308. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

10 Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see [http://pair-](http://pair-direct.uspto.gov)  
15 [direct.uspto.gov](http://pair-direct.uspto.gov). Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gary C. Vieaux  
Examiner  
Art Unit 2612

20 Gcv2

  
WENDY R. GARBER  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600